

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	<div style="float: right; text-align: center;"> <input type="button" value="Up"/> <input type="button" value="Down"/> </div>
Display: <input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>	
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Friday, June 11, 2004
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> <small>result se set</small>
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<u>L16</u>	709/228.ccls.	1038	<u>L16</u>
<u>L15</u>	L14 and I3	12	<u>L15</u>
<u>L14</u>	709/246.ccls.	1056	<u>L14</u>
<u>L13</u>	select\$4 same (network terminat\$3 or network-terminat\$4) near5 (device or gateway)	32	<u>L13</u>
<u>L12</u>	select\$4 same (network terminat\$3 or network-terminat\$4) near5 (device or gateway) same (optimum or best or highest)	0	<u>L12</u>
<u>L11</u>	select\$4 same(network terminat\$3 or network-terminat\$4) near5 (device or gateway) same (optimum or best or highest)	0	<u>L11</u>
<u>L10</u>	select\$4 same(network terminat\$3 or network-terminat\$4) near5 (device or gateway) same (optimum or best or highest) near5 (qos or connection)	0	<u>L10</u>
<u>L9</u>	(end device or terminal or user) same select\$4 same(network terminat\$3 or network-terminat\$4) near5 (device or gateway)	8	<u>L9</u>
<u>L8</u>	17 and bluetooth	7	<u>L8</u>
<u>L7</u>	indirect interface	57	<u>L7</u>

<u>L6</u>	L3 same predetermined factor	0	<u>L6</u>
<u>L5</u>	L3 same (optimum or best or highest) same(qos or connection)	7	<u>L5</u>
<u>L4</u>	L3 with (optimum or best or highest) with (qos or connection)	6	<u>L4</u>
<u>L3</u>	(end device or terminal or user) with select\$4 with (network terminat\$3 or gateway)	823	<u>L3</u>
<u>L2</u>	(end device or terminal otr user) with select\$4 with (network terminat\$3 or gateway)	2	<u>L2</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L1</u>	(end device or terminal otr user) with select\$4 with (network\$terminat\$3 device or gateway)	0	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; height: 30px; width: 450px;"></div> <div style="text-align: right; border-left: 1px solid black; border-right: 1px solid black;"> <div style="border-top: 1px solid black; border-bottom: 1px solid black; width: 15px; height: 15px; margin: 2px 0;">▲</div> <div style="border-top: 1px solid black; border-bottom: 1px solid black; width: 15px; height: 15px; margin: 2px 0;">▼</div> </div>
Display:	<div style="border: 1px solid black; width: 40px; text-align: center;">10</div> Documents in Display Format: <div style="border: 1px solid black; width: 40px; text-align: center;">TI</div> Starting with Number <div style="border: 1px solid black; width: 40px; text-align: center;">1</div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Friday, June 11, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> <small>result set</small>
<small>side by side</small>			
	<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L19</u>	(end device or terminal or user) same select\$4 same(network terminat\$3 or network-terminat\$4) near5 (device or gateway)	9	<u>L19</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<u>L18</u>	(end device or terminal or user) same select\$4 same(network terminat\$3 or network-terminat\$4) near5 (device or gateway)	8	<u>L18</u>
	<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<u>L17</u>	select\$4 same (network terminat\$3 or network-terminat\$4) near5 (device or gateway)	21	<u>L17</u>
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>		
<u>L16</u>	709/228.ccls.	1038	<u>L16</u>
<u>L15</u>	L14 and l3	12	<u>L15</u>
<u>L14</u>	709/246.ccls.	1056	<u>L14</u>
<u>L13</u>	select\$4 same (network terminat\$3 or network-terminat\$4) near5 (device or gateway)	32	<u>L13</u>
<u>L12</u>	select\$4 same (network terminat\$3 or network-terminat\$4) near5 (device or	0	<u>L12</u>

	gateway) same (optimum or best or highest)		
<u>L11</u>	select\$4 same(network terminat\$3 or network-terminat\$4) near5 (device or gateway) same (optimum or best or highest)	0	<u>L11</u>
<u>L10</u>	select\$4 same(network terminat\$3 or network-terminat\$4) near5 (device or gateway) same (optimum or best or highest) near5 (qos or connection)	0	<u>L10</u>
<u>L9</u>	(end device or terminal or user) same select\$4 same(network terminat\$3 or network-terminat\$4) near5 (device or gateway)	8	<u>L9</u>
<u>L8</u>	17 and bluetooth	7	<u>L8</u>
<u>L7</u>	indirect interface	57	<u>L7</u>
<u>L6</u>	L3 same predetermined factor	0	<u>L6</u>
<u>L5</u>	L3 same (optimum or best or highest) same(qos or connection)	7	<u>L5</u>
<u>L4</u>	L3 with (optimum or best or highest) with (qos or connection)	6	<u>L4</u>
<u>L3</u>	(end device or terminal or user) with select\$4 with (network terminat\$3 or gateway)	823	<u>L3</u>
<u>L2</u>	(end device or terminal otr user) with select\$4 with (network terminat\$3 or gateway)	2	<u>L2</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L1</u>	(end device or terminal otr user) with select\$4 with (network\$terminat\$3 device or gateway)	0	<u>L1</u>

END OF SEARCH HISTORY